

---


# FINE ART

---

## PLASTERWORK Ltd

---

Specialists in Decorative Mouldings



# WELCOME

Once the exclusive province of stately homes and palaces of the aristocratic rich, attractive decorative plasterwork became the norm for prosperous middle-class homes during the Victorian era. Today, thanks to a blend of modern materials and traditional techniques, it has become an affordable option for everyone.

Our many years of experience enable us to offer, without charge, sound advice and inspired design ideas to suit your budget.

You have the reassurance of dealing directly with the manufacturer, all our products being crafted in our own workshops. Our City & Guilds qualified craftsmen can carry out a full fixing service or we can supply our wide range of cornices, corbels, fire surrounds, columns, ceiling centrepieces, door surrounds and many other items with full advice for DIY installation.

## DESIGN SERVICES

Designers and specifiers can count on us for expert advice on the suitability of our stock mouldings and combinations of mouldings for their designs or can call on us to provide custom-made items. We can match existing mouldings or produce items to client's new designs in fibrous plaster, glass-reinforced gypsum, glass-reinforced polyester (GRP) or sand and cement (Fiber Cem).

Our expert craftsmen can work from fully-dimensioned drawings of the required layouts or carry out our own on-site survey and prepare workshop and design drawings to meet your needs. We provide a full estimate service.



# CORNICES

Over this and the next eight pages we feature a large range of cornices to suit every room no matter what size or style. All our cornices are manufactured in 3m (10ft) lengths, which is the most practical size to fix.

Our Cornices are manufactured with wood and canvas inserted for nail or screw fixings. All cornices are supplied in white plaster finish.

If required we can match an existing cornice you may have in your home.



CN1 - Depth 4" (100mm), Projection 2 1/2" (64mm)



CN2 - Depth 5 3/4" (146mm), Projection 5 3/4" (146mm)



CN3 - Depth 3 3/8" (85mm), Projection 3" (76mm)



CN4 - Depth 3 1/2" (90mm), Projection 5" (128mm)

# CORNICES



CN5 - Depth 6 5/8" (170mm), Projection 3 3/4" (95mm)



CN6 - Depth 4" (100mm), Projection 3 1/2" (88mm)




CN7 - Depth 3 3/4" (87mm), Projection 4 1/8" (105mm)



CN8 - Depth 5 3/4" (146mm), Projection 5 3/8" (136mm)



CN9 - Depth 4" (100mm), Projection 8" (200mm)



CN10 - Depth 5" (128mm), Projection 4 7/8" (125mm)



CN11 - Depth 6 3/4" (170mm), Projection 1 3/4" (45mm)



CN12 - Depth 7 1/8" (180mm), Projection 6 5/8" (170mm)



CN13 - Depth 2 1/2" (64mm), Projection 2 1/2" (64mm)



CN14 - Depth 3 1/2" (88mm), Projection 4" (100mm)




CN15 - Depth 4 3/4" (122mm), Projection 2 1/2" (63mm)



CN16 - Depth 4" (100mm), Projection 3 1/2" (89mm)



CN17 - Depth 4" (100mm), Projection 3 3/4" (95mm)



CN18 - Depth 4 1/2" (114mm), Projection 4 1/2" (114mm)



# CORNICES



CN19 - Depth 4 1/4" (108mm), Projection 3" (75mm)



CN20 - Depth 3 3/4" (95mm), Projection 3 1/2" (89mm)



CN21 - Depth 3 1/2" (88mm), Projection 3 3/4" (96mm)



CN22 - Depth 5" (127mm), Projection 1 1/2" (38mm)



CN23 - Depth 5 1/8" (130mm), Projection 4" (100mm)



CN24 - Depth 5 1/2" (140mm), Projection 2 3/4" (70mm)



CN25 - Depth 5" (128mm), Projection 4 1/2" (114mm)



CN26 - Depth 5 1/2" (140mm), Projection 4 1/8" (105mm)



CN27 - Depth 6" (152mm), Projection 5 1/4" (133mm)



CN28 - Depth 4 3/4" (120mm), Projection 7 1/8" (200mm)




CN29 - Depth 5 3/4" (146mm), Projection 5 3/4" (146mm)



CN30 - Depth 6" (152mm), Projection 7 1/4" (183mm)




CN31 - Depth 6 1/4" (158mm), Projection 8" (204mm)



CN32 - Depth 6 3/4" (173mm), Projection 6 3/4" (158mm)


# CORNICES



CN33 - Depth 4" (100mm), Projection 10 1/2" (268mm)



CN34 - Depth 6 5/8" (170mm), Projection 6 5/8" (175mm)




CN35 -  
Depth 5 1/2"  
(140mm),  
Projection  
5 1/2" (140mm)



CN36 - Depth 6" (152mm), Projection 13 1/2" (343mm)



CN37 - Depth 9 1/2" (242mm), Projection 9 1/2" (242mm)



CN38 - Depth 1" (25mm), Projection 7 1/2" (190mm) Ceiling Band



CN39 - Depth 5 7/8" (150mm), Projection 5" (127mm)




CN40 - Depth 9 3/4" (248mm), Projection 7 1/2" (190mm)



CN41 - Depth 8" (202mm), Projection 7 3/4" (195mm)



CN42 - Depth 12" (305mm), Projection 3 3/4" (80mm)



CN43 - Depth 5 1/4" (133mm), Projection 10 1/2" (268mm)



CN44 - Depth 3 5/8" (96mm), Projection 4 1/2" (104mm)



CN45 - Depth 2 1/2" (70mm), Projection 2 3/4" (64mm)

# CORNICES



CN46 - Depth 3 1/2" (103mm), Projection 4 1/8" (89mm)




CN53 - Depth 5 1/8" (131mm), Projection 4 1/8" (104mm)



CN47 - Depth 3 5/8" (77mm), Projection 4 3/8" (110mm)



CN54 - Depth 11" (280mm), Projection 11" (280mm)



CN48 - Depth 3 1/2" (78mm), Projection 4 3/8" (110mm)



CN55 - Depth 4 5/8" (117mm), Projection 4 1/4" (107mm)



CN49 - Depth 8" (203mm), Projection 3 1/8" (79mm)



CN56 - Depth 3 5/8" (92mm), Projection 4 1/2" (114mm)



CN50 - Depth 4" (102mm), Projection 4 1/2" (115mm)



CN57 - Depth 4 3/8" (110mm), Projection 6 1/4" (160mm)



CN51 - Depth 5 5/8" (142mm), Projection 4 1/4" (108mm)



CN58 - Depth 9 1/8" (232mm), Projection 4 7/8" (123mm)



CN52 - Depth 4 1/2" (108mm), Projection 3 3/4" (96mm)



CN59 - Depth 3" (76mm), Projection 3" (76mm)


# CORNICES



CN60 - Depth 4 3/4" (120mm), Projection 4 3/8" (110mm)



CN61 - Depth 4" (102mm), Projection 4" (102mm)



CN62 - Depth 5 1/4" (134mm), Projection 4 1/2" (116mm)



CN63 -  
Depth 5 1/4"  
(134mm),  
Projection  
10 3/4" (274mm)



CN64 - Depth 4 3/8" (112mm), Projection 12 7/8" (328mm)



CN65 - Depth 4 1/8" (102mm), Projection 4 1/8" (102mm)



CN66 - Depth 5" (127mm), Projection 6 1/8" (155mm)



CN67 - Depth 8 1/4" (210mm), Projection 8" (203mm)



CN68 -  
Depth 5 1/2"  
(140mm),  
Projection 6  
1/2" (165mm)



CN69 - Depth 4" (100mm), Projection 3 5/8" (92mm)








CN70 - Depth 8 1/4" (210mm), Projection 4 1/4" (115mm)



CN71 - Depth 4 3/8" (110mm), Projection 7 1/2" (190mm)



# CORNICES





# CORNICES




CN84 - Depth 4 3/8" (110mm), Projection 7 7/8" (200mm)




CN85 - Depth 4 3/8" (110mm), Projection 5 5/8" (145mm)



CN86 - Depth 4 3/8" (125mm), Projection 7 7/8" (200mm)



CN87 - Depth 8 1/2" (202mm), Projection 5 1/2" (140mm)



CN88 - Depth 7 1/8" (180mm), Projection 12 1/8" (310mm)



CN89 - Depth 8 1/2" (215mm), Projection 8 5/8" (220mm)



CN90 - Depth 3 1/2" (90mm), Projection 6 5/8" (170mm)




CN91 - Depth 3 1/2" (90mm), Projection 2 3/4" (30mm)



CN92 - Depth 3 1/8" (80mm), Projection 4 1/8" (105mm)



CN93 - Depth 3 7/8" (100mm), Projection 3 3/4" (95mm)



CN94 - Depth 3" (75mm), Projection 3" (75mm)



CN95 - Depth 3 1/8" (80mm), Projection 4 1/8" (100mm)




CN96 - Depth 2 3/4" (70mm), Projection 3 3/4" (95mm)



CN97 - Depth 4" (100mm), Projection 4" (100mm)

# CORNICES



CN98 - Depth 3 1/8" (80mm), Projection 4" (100mm)



CN104 - Depth 3" (75mm), Projection 1 3/8" (35mm)



CN99 - Depth 4" (100mm), Projection 3 3/4" (95mm)




CN105 - Depth 5 3/4" (145mm), Projection 5 3/4" (145mm)




CN100 - Depth 3" (75mm), Projection 3" (75mm)



CN106 - Depth 4" (100mm), Projection 7 1/4" (185mm)



CN101 - Depth 4 3/4" (120mm), Projection 11 3/4" (300mm)




CN107 - Depth 4 3/8" (110mm), Projection 4 3/8" (110mm)



CN102 - Depth 3 3/4" (95mm), Projection 4 3/8" (110mm)



CN108 - Depth 4 7/8" (125mm), Projection 2" (50mm)



CN103 - Depth 4 3/4" (120mm), Projection 10 1/4" (260mm)



CN109 - Depth 2 5/8" (65mm), Projection 5 1/8" (130mm)

# ARCHES

Nothing transforms a dull, square 'RSJ' better than an elegant arch complete with mouldings, keystone and a mock support of either columns, wrap-arounds or corbels.

Given sufficient width, there's no more dramatically appealing feature than a graceful arch supported by two full and two half columns, as on our cover.

Our arches are manufactured so they can be installed by any competent person. Alternatively, we can arrange the fitting.

## KEYSTONES





K3 - Height 3.75" (95mm)  
Width 3.5" (90mm)



K2 - Height 5.5" (140mm)  
Width 4" (100mm)



K1 - Height 6.5" (155mm)  
Width 8" (204mm)



Specifications required for manufacture of of Purpose Made Arches:

- (a) Dimensions of opening (width and height)
- (b) Dimensions from floor to ceiling
- (c) Type of Arch required (ie Plain or with Moulding and Keystone, whether Pilaster - Columns or Corbels to be used below Arch)
- (d) Details of wall i.e. thickness etc
- (e) Positioning of Arch/Lounge, Dining Room, Hall etc



# CORBELS

Providing an exquisite finishing touch to columns, corbels are usually used as a mock support for arches or square openings between rooms but when fitted atop a shorter column they can be creatively used as a support for uplighters to add dramatic effect.



T1 -  
Height 18 ½"  
(470mm)  
Width 8"  
(203mm)  
Projection 17"  
(432mm)



T4 -  
Height 15"  
(380mm)  
Width 10 ¾"  
(275mm)  
Projection 6 ⅝"  
(168mm)



T5 -  
Height 15"  
(380mm)  
Width 5 ¾"  
(146mm)  
Projection 5 ¼"  
(133mm)



T2 - Height 20 ⅝" (525mm)  
Width 7 ⅞" (200mm)  
Projection 5 ¾" (148mm)



T3 - Height 11 ⅝" (295mm)  
Width 8 ½" (218mm)  
Projection 4 ⅞" (122mm)



T6 - Height 15 ½" (394mm)  
Width 7" (178mm)  
Projection 2 ¾" (70mm)



T7 -  
Height 12 ½"  
(318mm)  
Width 8 ½"  
(215mm)  
Projection 4"  
(100mm)



T8 -  
Height 14"  
(350mm)  
Width 5 ¾"  
(146mm)  
Projection 3 ¾"  
(96mm)



T9 -  
Height 10"  
(250mm)  
Width 7"  
(178mm)  
Projection 3 ¼"  
(82mm)


# CORBELS



T11 - Height 9 3/4" (247mm)  
Width 7 1/4" (183mm)  
Projection 5" (125mm)



T12 - Height 7 3/8" (187mm)  
Width 8" (203mm)  
Projection 2 1/4" (70mm)



T17 - Height 8 3/4" (225mm)  
Width 6 3/4" (170mm)  
Projection 3 1/2" (90mm)



T10 - Height 11" (278mm)  
Width 5" (127mm)  
Projection 3" (77mm)



T13 - Height 11 1/4" (298mm)  
Width 9 1/8" (233mm)  
Projection 4 1/4" (107mm)



T14 - Height 10 3/8" (264mm)  
Width 7" (180mm)  
Projection 5 1/8" (130mm)



T15 - Height 11 7/8" (300mm)  
Width 8 1/2" (215mm)  
Projection 4 3/4" (120mm)



T16 - Height 11" (280mm)  
Width 9" (230mm)  
Projection 4" (100mm)



T18 - Height 10" (250mm)  
Width 5" (125mm)  
Projection 3" (77mm)

# NICHES

Serving to hold treasured possessions or as an unadorned design feature in their own right, decorative niches can be supplied to suit any room or hallway.

A light hidden inside the glass shelf at the base will make the niche a truly dramatic feature, especially if the shelf is colour sprayed so that the illumination takes on perhaps a cool blue or a glowing red hue.

Niches can be supplied to be set into or to sit flat on a wall, to fit the corner of a room, or to be used as a mirror surround.

Please check the sizes listed to ensure that the niche you purchase can be fitted into your room.

N1 -  
Height 41  $\frac{3}{4}$ " (1042mm),  
Width 20  $\frac{3}{4}$ " (527mm),  
Recess 6  $\frac{1}{2}$ " (165mm)



N3 - Height 35  $\frac{3}{4}$ " (910mm),  
Width 24  $\frac{3}{4}$ " (630mm),  
Recess 6" (150mm)



N6 -  
Height 21  $\frac{1}{2}$ " (545mm),  
Width 11  $\frac{1}{4}$ " (285mm),  
Recess 4  $\frac{3}{4}$ " (120mm)



N7 -  
Height 33  $\frac{3}{4}$ " (858mm),  
Width 16  $\frac{1}{2}$ " (419mm),  
Recess 4  $\frac{1}{2}$ " (115mm)



N2 - Height 34" (865mm),  
Width 23" (585mm),  
Recess 5  $\frac{1}{2}$ " (140mm)



# NICHES



N4 -  
Height 42 ¼"  
(1073mm),  
Width 21"  
(533mm),  
Recess 6"  
(150mm)



N5 -  
Corner Niche  
Height 33 ¼"  
(845mm),  
Width 22 ⅝"  
(575mm),  
Recess 8"  
(200mm)



N8 -  
Height 21 ½"  
(545mm),  
Width 11 ¼"  
(285mm),  
Recess 4 ¾"  
(120mm)



N9 -  
Height 33 ½"  
(852mm),  
Width 22 ¾"  
(578mm),  
Recess 1 ½"  
(38mm)


## SHELVES



S1 - Shelf Width 26" (660mm), Shelf Height 11" (280mm),  
Shelf Projection 4 ½" (115mm)



S2 - Shelf Width 26 ¼" (667mm), Shelf Height 3 ½" (88mm),  
Shelf Projection 4" (100mm)



S3 - Shelf Width 28 ¾" (732mm), Shelf Height 3 ¼" (82mm),  
Shelf Projection 2" (50mm)

# COLUMNS AND PILASTERS

**R**ight from the times of classical Greece and Rome, columns and pilasters have been used to add distinction to both the exterior and interior of domestic as well as public buildings.

Our range has been carefully designed to complement various period styles of interior design and are simple to fix.



**Cap for  
Column 1**

**Column 1**  
A - 83"  
(2110mm)  
B - 12 1/2"  
(320mm)  
C - 13 3/4"  
(350mm)  
D - 11 1/4"  
(292mm)  
E - 14"  
(356mm)  
F - 5"  
(127mm)



**Cap for  
Pilaster 2**  
E - 11 1/8"  
(283mm)  
F - 4"  
(102mm)



**Pilaster 4**

A - 92 7/8"  
(2340mm)  
B - 7 1/2"  
(194mm)  
C - 7 3/4"  
(198mm)



**Pilaster 5**

A - 90 1/2"  
(2302mm)  
B - 9 1/2"  
(241mm)  
C - 10"  
(254mm)



**Pilaster 6**

A - 79"  
(2008mm)  
B - 6 1/4"  
(158mm)  
C - 5 1/8"  
(130mm)



**Pilaster 1**

A - 102"  
(2590mm)  
B - 14"  
(356mm)  
C - 14"  
(356mm)  
D - 5"  
(127mm)  
E - 13 3/4"  
(350mm)  
F - 11 1/2"  
(292mm)



**Pilaster 2**

A - 78 1/2"  
(1995mm)  
B - 11"  
(280mm)  
C - 11 1/2"  
(292mm)  
D - 8 3/4"  
(223mm)  
E - 11 1/2"  
(292mm)  
F - 5"  
(128mm)

# COLUMNS AND PILASTERS



Optional  
Cap for  
Column 3



**Column 2**  
A - 78 1/2"  
(1998mm)  
B - 11 1/2"  
(292mm)  
C - 11 1/2"  
(292mm)  
D - 8 3/4"  
(222mm)  
E - 11 1/2"  
(292mm)  
F - 5"  
(127mm)



**Column 3**  
A - 99 1/4"  
(2520mm)  
B - 8 1/2"  
(215mm)  
C - 9"  
(228mm)  
D - 6 1/2"  
(165mm)  
E - 9"  
(228mm)  
F - 4"  
(100mm)



**Column 4**  
A - 99 1/4"  
(2520mm)  
B - 8 1/2"  
(215mm)  
C - 9"  
(228mm)  
D - 6 1/2"  
(165mm)  
E - 9"  
(228mm)  
F - 4"  
(100mm)



**Column 5**  
A - 99 1/4"  
(2520mm)  
B - 8 1/2"  
(215mm)  
C - 9"  
(228mm)  
D - 6 1/2"  
(165mm)  
E - 9"  
(228mm)  
F - 4"  
(100mm)



**Column 6**  
A - 91"  
(2311mm)  
B - 7 1/2"  
(194mm)  
C - 7 3/4"  
(198mm)



**Pilaster 3**  
A - 49"  
(1245mm)  
B - 6 1/2"  
(165mm)  
C - 9 1/2"  
(242mm)  
D - 9 1/2"  
(242mm)




**Wrap Around  
Pilaster**  
Full Height 114"  
(2900mm)  
Variable Height  
up to 18"  
(456mm)  
Side Returns  
5 1/8" (130mm)  
Cap Projection  
2 3/8" (60mm)



**Pedestal 1**  
Height  
44 3/8" (1128mm)  
Base Width  
8 1/8" (207mm)  
Cap Width  
9 1/2" (242mm)

## SIZE GUIDE





# CEILING CENTRE PIECES

Elegance personified, our selection of ceiling centre pieces are designed to provide an eye-pleasing way to break up a large, plain expanse of ceiling.



CP7 - Diameter 18"  
(458mm)



CP1 - Diameter 20" (508mm)



CP4 - Diameter 27 1/2" (700mm)



CP8 - Length 33 1/2" Width 23 5/8" (850 x 600mm)



CP2 - Diameter 24" (610mm)



CP5 - Diameter 26" (660mm)



CP9 - Diameter 18 1/2" (470mm)



CP3 - Diameter 22" (558mm)



CP6 - Diameter 26" (660mm)



CP10 - Diameter 21" (535mm)



# CENTRE PIECES




CP11 - Diameter 37 1/2" (935mm)



CP15 - Diameter 29 3/4" (743mm)



CP19 - Diameter 20" (508mm)



CP12 - Diameter 26" (660mm)



CP16 - Length 40" Width 26" (1016 x 661mm)




CP20 - Diameter 20" (508mm)



CP13 - Diameter 27 1/2" (700mm)



CP17 - Length 47" Width 23 1/4" (1195 x 591mm)



CP21 - Diameter 29" (735mm)



CP14 - Diameter 33" (838mm)



CP18 - Diameter 21 3/4" (508mm)



CP22 - Diameter 28" (712mm)



# CENTRE PIECES



CP23 - Diameter 20" (508mm)  
CP40 - Diameter 15" (338mm)



CP27 - Diameter 15" (380mm)



CP31 - Diameter 14" (356mm)



CP24 - Diameter 17" (432mm)



CP28 - Diameter 14" (356mm)



CP32 - Diameter 11 1/2" (296mm)



CP25 - Diameter 18 1/4" (463mm)



CP29 - Diameter 15" (382mm)



CP33 - Diameter 6 1/2" (165mm)



CP26 - Diameter 18 1/4" (463mm)



CP30 - Diameter 16" (405mm)



CP34 - Diameter 15 1/2" (394mm)  
CP35 - Diameter 21" (533mm)  
CP36 - Diameter 26 1/2" (673mm)



# CENTRE PIECES



CP37 - Diameter 24 1/4" (615mm)



CP38 - Diameter 30 1/4" (770mm)





CP39 - Diameter 30 1/4" (770mm)

# CEILING DOME & LIGHT TROUGH

Ceiling domes and light troughs have long been used by leading architects as an important feature for hotel lobbies, large reception areas and other imposing rooms. Having manufactured and supplied these for many years, we cast our minds to creating a smaller, affordable version for the home.

Adding a highly original and appealing feature, our standard dome and light trough gives wide scope for imaginative decorating. It could be marbelised, as illustrated, rag rolled, or could carry a stunning mural.

## STANDARD DOME



## BESPOKE ITEMS



Domes, light troughs, and barrel ceilings etc can all be manufactured and fixed according to your specification. Please ask for more information.



# CEILING AND PANEL MOULDINGS

**I**deal for transforming any plain modern room into an elegant period style delight, our ceiling mouldings, corners and panel mouldings come in a wide selection of attractive designs to complement your design needs. Such features provide an inexpensive way of adding a touch of style and luxury to even the most ordinary of rooms.



PM1 - Depth 2" (50mm), Projection 5/8" (22mm)



PM2 - Depth 1 1/2" (42mm), Projection 5/8" (22mm)



PM3 - Depth 2" (50mm), Projection 3/4" (18mm)




PM4 - Depth 1 1/4" (45mm), Projection 1" (25mm)



PM5 - Depth 1 1/2" (48mm), Projection 1 1/4" (32mm)



PM6 - Depth 1 1/4" (32mm), Projection 3/4" (18mm)



PM7 - Depth 3 3/8" (92mm), Projection 1/2" (13mm)




PM8 - Depth 4 1/4" (108mm), Projection 1 1/4" (32mm)



PM9 - Depth 3 1/4" (83mm), Projection 3/4" (20mm)



PM10 - Depth 3 7/8" (98mm), Projection 3/4" (18mm)



PM11 - Depth 4" (100mm), Projection 1 1/2" (40mm)



PM12 - Depth 2 1/2" (54mm), Projection 3/4" (20mm)



C1



C2




C3 -  
Width 6 1/2"  
(165mm)



C4 -  
Width 6 1/2"  
(165mm)



C5 -  
Width 7 5/8"  
(194mm)



C6 -  
Width 6"  
(152mm)

# CEILING AND PANEL MOULDINGS



PM13 - Depth 1½" (42mm), Projection ⅞" (22mm)



PM20 - Depth 2" (50mm), Projection 1" (25mm)



PM14 - Depth 4¼" (108mm), Projection 1⅜" (36mm)



PM21 - Depth 2" (50mm), Projection 1" (25mm)



PM15 - Depth 3½" (87mm), Projection 1⅜" (30mm)



PM22 - Depth 1" (25mm), Projection ⅞" (22mm)



PM16 - Depth 4¼" (108mm), Projection 1" (25mm)



PM23 - Depth 1⅜" (35mm), Projection ⅞" (22mm)



PM17 - Depth 2¼" (58mm), Projection ⅝" (16mm)



PM24 - Depth 1⅜" (48mm), Projection ⅞" (22mm)



PM18 - Depth 1" (25mm), Projection 1½" (38mm)



PM25 - Depth 4" (100mm), Projection 1" (25mm)



PM19 - Depth 1¼" (32mm), Projection ¾" (20mm)



PM26 - Depth 2" (50mm), Projection 1" (25mm)



C7 -  
Width 14¼"  
(360mm)



C9 -  
Width 3½"  
(88mm)



C8 -  
Width 9½"  
(242mm)



PM27 - Depth 3" (78mm), Projection 1" (25mm)



PM28 - Depth 1½" (40mm), Projection ¾" (20mm)





# HANDLING AND STORAGE

Designed for interior use, fibrous plaster mouldings should be kept dry and under cover and should not be exposed to the elements. Great care should be taken not to damage the mouldings while dismantling the scaffold.

## SITE WORK




Typical methods of fixing fibrous plaster mouldings include nails, screws or plugs direct to the structure or by means of suitable wire hangers and fastening to a purpose-made metal suspension system, which Fine Art Plasterwork can supply if required.

## MAINTENANCE


Fibrous plaster mouldings are easy to redecorate. Any surface cracks or other damage which occurs with the passage of time can be effectively repaired using fine casting plaster or a suitable commercial filler.

## CONTRACTS DIVISION

Pictured above is a selection of fibrous plasterwork contracts undertaken by Fine Art Plasterwork on behalf of architects and designers, according to their specification and design. Our impressive portfolio of installations involves both new architectural designs and the restoration of existing, damaged plasterwork. All our products are manufactured in our own workshops, and a full fixing service is available.



## HOW TO FIND US



### The Small Print

Reproduction of any of our products without prior permission is strictly forbidden. The entire contents of this publication are the copyright of THE CATALOGUE COMPANY and FINE ART PLASTERWORK are subject to the protection of the Copyright Act 1956.

No pages may be reproduced in whole or in part in any form or by any method nor stored in any data bank of any kind. It is the policy of the publishers as copyright owners to take legal action against ANY company, firm or person infringing its copyright. A full set of our Terms and Conditions are available on request.

638/640 Streatham High Road  
London SW16 3QL  
Tel 020-8679 2533

[www.fineartplasterwork.com](http://www.fineartplasterwork.com)